ELSEVIER

Nuclear Engineering and Design 148 (1994) 525–527

Nuclear Engineering and Design

Author Index of Volume 148

Allison, D.K., see Greene, G.A. 148 (1994) 317
Arcieri, W.C., see Hanson, D.J. 148 (1994) 233

Brockmeier, U., M. Koch, H. Unger and W. Schütz, Volatile fission product and sodium release from liquids 148 (1994) 499

Chaivanov, B.B., see Dorofeev, S.B. 148 (1994) 305
Chang, S.H. and Y.-B. Lee, A new critical heat flux model for liquid metals under low heat flux–low flow conditions 148 (1994) 487
Chang, S.H., see Hwang, D.-H. 148 (1994) 475
Chavez, S.A. and J.L. Rempe, Finite element analyses of a BWR vessel and penetration under severe accident conditions 148 (1994) 413
Chavez, S.A., G.E. Korth, D.M. Harper and T.J. Walker, High-temperature tensile and creep data for Inconel 600, 304 stainless steel and SA106B carbon steel 148 (1994) 351
Chavez, S.A., see Rempe, J.L. 148 (1994) 365
Chavez, S.A., see Thinnes, G.L. 148 (1994) 343
Cho, D.H., see Greene, G.A. 148 (1994) 317
Cornille, Y., Accident management for French PWRs 148 (1994) 161
Cox, D.S., see Hunt, C.E.L. 148 (1994) 205

Dorofeev, S.B., A.S. Kochurko, A.A. Efimenko and B.B. Chaivanov, Evaluation of the hydrogen explosion hazard 148 (1994) 305
Dykes, E.R., An advanced ultrasonic system for BWR vessel weld inspection 148 (1994) 101

Efimenko, A.A., see Dorofeev, S.B. 148 (1994) 305
Ellison, P.G., see Greene, G.A. 148 (1994) 317
Engqvist, A., see Löwenhielm, G. 148 (1994) 151
Espefält, R., see Löwenhielm, G. 148 (1994) 151

Feigel, A., see Roth-Seefrid, H. 148 (1994) 133
Ferng, Y.-M. and C.-H. Lee, Numerical simulation of natural circulation experiments conducted at the IIST facility 148 (1994) 119
Futakawa, M., T. Iyoku, H. Shirai, S. Takada and M. Ishihara, Evaluation of aseismic integrity in HTTR core-bottom structure. II. Vibrational characteristics of keyed graphite components 148 (1994) 83
Futakawa, M., see Ishihara, M. 148 (1994) 91
Futakawa, M., see Iyoku, T. 148 (1994) 71

Greene, G.A., D.H. Cho, M.L. Hyder, D.K. Allison and P.G. Ellison, Rapid quenching of molten lithium–aluminum jets in water 148 (1994) 317

Hanson, D.J., W.C. Arcieri and L.W. Ward, Assessing information needs and instrument availability for a pressurized water reactor during severe accidents 148 (1994) 233
Harper, D.M., see Chavez, S.A. 148 (1994) 351
Hatsuda, T., see Nagashima, H. 148 (1994) 27
Hodge, S.A. and M. Petek, Assessment of two BWR accident management strategies 148 (1994) 185
Housner, G.W. and S.F. Masri, Performance of the base-isolated USC University Hospital under the 1994 Northridge earthquake 148 (1994) 509
Huang, W.D., see Kocamustafaogullari, G. 148 (1994) 437
Hunt, C.E.L., D.S. Cox and F.C. Iglesias, Fission-product release during accidents – an accident management perspective 148 (1994) 205
Hwang, D.-H. and S.H. Chang, Development of a phenomenological model for the prediction of dryout locations under flooding-limited critical heat flux conditions 148 (1994) 475
Hyder, M.L., see Greene, G.A. 148 (1994) 317

Iglesias, F.C., see Hunt, C.E.L. 148 (1994) 205
Ishihara, M., T. Iyoku and M. Futakawa, Evaluation of aseismic integrity in HTTR core-bottom structure. III. Structural integrity of core support post component 148 (1994) 91
Ishihara, M., see Futakawa, M. 148 (1994) 83
Ishihara, M., see Iyoku, T. 148 (1994) 71
Itoh, K., H. Kinjo and Y. Mimura, Development of a 3-D FBR fuel bundle-to-duct interaction analysis code MARSE 148 (1994) 53

Iyoku, T., M. Futakawa and M. Ishihara, Evaluation of aseismic integrity in HTTR core-bottom structure. I. Aseismic test for core-bottom structure 148 (1994) 71
Iyoku, T., see Futakawa, M. 148 (1994) 83
Iyoku, T., see Ishihara, M. 148 (1994) 91

Jallepalli, R., see Murty, K.L. 148 (1994) 1
Jeong, J.H. and H.C. No, Classification of flooding data according to type of tube-end geometry 148 (1994) 109

Kawahara, A., see Sadatomi, M. 148 (1994) 463
Kinjo, H., see Itoh, K. 148 (1994) 53
Kocamustafaogullari, G., W.D. Huang and J. Razi, Measurement and modeling of average void fraction, bubble size and interfacial area 148 (1994) 437
Koch, M., see Brockmeier, U. 148 (1994) 499
Kochurko, A.S., see Dorofeev, S.B. 148 (1994) 305
Kokubo, K., see Nagashima, H. 148 (1994) 27
Korth, G.E., see Chavez, S.A. 148 (1994) 351
Korth, G.E., see Thinnes, G.L. 148 (1994) 343

Lee, C.-H., see Ferng, Y.-M. 148 (1994) 119
Lee, Y.-B., see Chang, S.H. 148 (1994) 487
Löwenhielm, G., A. Engqvist and R. Espefält, Accident management strategy in Sweden — implementation and verification 148 (1994) 151

Mahmood, S.T., see Murty, K.L. 148 (1994) 1
Masri, S.F., see Housner, G.W. 148 (1994) 509
Mimura, Y., see Itoh, K. 148 (1994) 53
Moser, H.-J., see Roth-Seefrid, H. 148 (1994) 133
Mudde, R.F., see van de Graaf, R. 148 (1994) 455
Murty, K.L., R. Jallepalli and S.T. Mahmood, Effects of recrystallization and Nb additions on texture and mechanical anisotropy of Zircaloy 148 (1994) 1

Nagashima, H., K. Kokubo and T. Hatsuda, Study on buckling of square tubes under bending loads 148 (1994) 27
Nakajima, T., H. Saito and T. Osaka, FEMAXI-IV: a computer code for the analysis of thermal and mechanical behavior of light water reactor fuel rods 148 (1994) 41
No, H.C., see Jeong, J.H. 148 (1994) 109

Olander, D.R., Materials chemistry and transport modeling for severe accident analyses in light-water reactors. I: External cladding oxidation 148 (1994) 253
Olander, D.R., Materials chemistry and transport modeling for severe accident analyses in light-water reactors. II: Gap processes and heat release 148 (1994) 273
Osaka, T., see Nakajima, T. 148 (1994) 41

Pasamehmetoglu, K.O. and C. Unal, Heat transfer from a high temperature safety rod placed in a perforated guide tube and surrounded by an array of cold tubes 148 (1994) 293
Pátek, J. and O. Šifner, Fast calculations of the properties of superheated steam from the saturation curve up to 600°C and 30 MPa 148 (1994) 515
Petek, M., see Hodge, S.A. 148 (1994) 185

Raussi, P., see Tuunanen, J. 148 (1994) 217
Razi, J., see Kocamustafaogullari, G. 148 (1994) 437
Rempe, J.L. and T.J. Walker, Overview of NRC sponsored LWR lower head failure research program 148 (1994) 327
Rempe, J.L., G.L. Thinnes and S.A. Chavez, A simpler approach for predicting LWR vessel failure during severe accident conditions 148 (1994) 365
Rempe, J.L., see Chavez, S.A. 148 (1994) 413
Roth-Seefrid, H., A. Feigel and H.-J. Moser, Implementation of bleed and feed procedures in Siemens PWRs 148 (1994) 133

Sadatomi, M., A. Kawahara and Y. Sato, Flow redistribution due to void drift in two-phase flow in a multiple channel consisting of two subchannels 148 (1994) 463
Saito, H., see Nakajima, T. 148 (1994) 41
Sato, Y., see Sadatomi, M. 148 (1994) 463
Schütz, W., see Brockmeier, U. 148 (1994) 499
Shann, S.H. and L.F. Van Swam, Creep anisotropy of Zircaloy-2 cladding during irradiation 148 (1994) 17
Shirai, H., see Futakawa, M. 148 (1994) 83
Šifner, O., see Pátek, J. 148 (1994) 515

Takada, S., see Futakawa, M. 148 (1994) 83
Theofanous, T.G., see Tuomisto, H. 148 (1994) 171
Thinnes, G.L., G.E. Korth, S.A. Chavez and T.J. Walker, High-temperature creep and tensile data for pressure vessel steels SA533B1 and SA508-CL2 148 (1994) 343
Thinnes, G.L., see Rempe, J.L. 148 (1994) 365
Tuomisto, H. and T.G. Theofanous, A consistent approach to severe accident management 148 (1994) 171
Tuomisto, H., see Tuunanen, J. 148 (1994) 217
Tuunanen, J., H. Tuomisto and P. Raussi, Experimental and analytical studies of boric acid concentrations in a VVER-440 reactor during the long-term cooling period of loss-of-coolant accidents 148 (1994) 217

Unal, C., see Pasamehmetoglu, K.O. 148 (1994) 293
Unger, H., see Brockmeier, U. 148 (1994) 499

Van de Graaf, R., T.H.J.J. van der Hagen and R.F. Mudde, Two-phase flow scaling laws for a simulated BWR assembly 148 (1994) 455
Van der Hagen, T.H.J.J., see van de Graaf, R. 148 (1994) 455
Van Swam, L.F., see Shann, S.H. 148 (1994) 17

Walker, T.J., see Chavez, S.A. 148 (1994) 351
Walker, T.J., see Rempe, J.L. 148 (1994) 327
Walker, T.J., see Thinnes, G.L. 148 (1994) 343
Ward, L.W., see Hanson, D.J. 148 (1994) 233
Witt, R.J., Local creep rupture failure modes on a corium-loaded lower head 148 (1994) 385

ELSEVIER

Nuclear Engineering and Design 148 (1994) 529–531

Nuclear Engineering and Design

Subject Index of Volume 148

Thermal and fluid design

Implementation of bleed and feed procedures in Siemens PWRs, H. Roth-Seefrid, A. Feigel and H.-J. Moser 148 (1994) 133
Accident management strategy in Sweden — implementation and verification, G. Löwenhielm, A. Engqvist and R. Espefält 148 (1994) 151
Accident management for French PWRs, Y. Cornille 148 (1994) 161
A consistent approach to severe accident management, H. Tuomisto and T.G. Theofanous 148 (1994) 171
Assessment of two BWR accident management strategies, S.A. Hodge and M. Petek 148 (1994) 185
Fission-product release during accidents – an accident management perspective, C.E.L. Hunt, D.S. Cox and F.C. Iglesias 148 (1994) 205
Experimental and analytical studies of boric acid concentrations in a VVER-440 reactor during the long-term cooling period of loss-of-coolant accidents, J. Tuunanen, H. Tuomisto and P. Raussi 148 (1994) 217
Assessing information needs and instrument availability for a pressurized water reactor during severe accidents, D.J. Hanson, W.C. Arcieri and L.W. Ward 148 (1994) 233
Materials chemistry and transport modeling for severe accident analyses in light-water reactors. I: External cladding oxidation, D.R. Olander 148 (1994) 253
Materials chemistry and transport modeling for severe accident analyses in light-water reactors. II: Gap processes and heat release, D.R. Olander 148 (1994) 273
Heat transfer from a high temperature safety rod placed in a perforated guide tube and surrounded by an array of cold tubes, K.O. Pasamehmetoglu and C. Unal 148 (1994) 293
Evaluation of the hydrogen explosion hazard, S.B. Dorofeev, A.S. Kochurko, A.A. Efimenko and B.B. Chaivanov 148 (1994) 305
Rapid quenching of molten lithium–aluminum jets in water, G.A. Greene, D.H. Cho, M.L. Hyder, D.K. Allison and P.G. Ellison 148 (1994) 317
High-temperature creep and tensile data for pressure vessel steels SA533B1 and SA508-CL2, G.L. Thinnes, G.E. Korth, S.A. Chavez and T.J. Walker 148 (1994) 343
High-temperature tensile and creep data for Inconel 600, 304 stainless steel and SA106B carbon steel, S.A. Chavez, G.E. Korth, D.M. Harper and T.J. Walker 148 (1994) 351
A simpler approach for predicting LWR vessel failure during severe accident conditions, J.L. Rempe, G.L. Thinnes and S.A. Chavez 148 (1994) 365
Local creep rupture failure modes on a corium-loaded lower head, R.J. Witt 148 (1994) 385
Finite element analyses of a BWR vessel and penetration under severe accident conditions, S.A. Chavez and J.L. Rempe 148 (1994) 413
Measurement and modeling of average void fraction, bubble size and interfacial area, G. Kocamustafaogullari, W.D. Huang and J. Razi 148 (1994) 437
Two-phase flow scaling laws for a simulated BWR assembly, R. van de Graaf, T.H.J.J. van der Hagen and R.F. Mudde 148 (1994) 455
Flow redistribution due to void drift in two-phase flow in a multiple channel consisting of two subchannels, M. Sadatomi, A. Kawahara and Y. Sato 148 (1994) 463
Development of a phenomenological model for the prediction of dryout locations under flooding-limited critical heat flux conditions, D.-H. Hwang and S.H. Chang 148 (1994) 475
A new critical heat flux model for liquid metals under low heat flux–low flow conditions, S.H. Chang and Y.-B. Lee 148 (1994) 487
Volatile fission product and sodium release from liquids, U. Brockmeier, M. Koch, H. Unger and W. Schütz 148 (1994) 499
Fast calculations of the properties of superheated steam from the saturation curve

up to 600°C and 30 MPa, J. Pátek and O. Šifner 148 (1994) 515

Heat conduction and transfer

Numerical simulation of natural circulation experiments conducted at the IIST facility, Y.-M. Ferng and C.-H. Lee 148 (1994) 119

Fluid dynamics

Classification of flooding data according to type of tube-end geometry, J.H. Jeong and H.C. No 148 (1994) 109

Engineering mechanics

Study on buckling of square tubes under bending loads, H. Nagashima, K. Kokubo and T. Hatsuda 148 (1994) 27

Materials properties

Effects of recrystallization and Nb additions on texture and mechanical anisotropy of Zircaloy, K.L. Murty, R. Jallepalli and S.T. Mahmood 148 (1994) 1
Creep anisotropy of Zircaloy-2 cladding during irradiation, S.H. Shann and L.F. Van Swam 148 (1994) 17
Study on buckling of square tubes under bending loads, H. Nagashima, K. Kokubo and T. Hatsuda 148 (1994) 27

Mechanical design, component fabrication and testing

An advanced ultrasonic system for BWR vessel weld inspection, E.R. Dykes 148 (1994) 101

Reactor concepts and systems analysis

Evaluation of aseismic integrity in HTTR core-bottom structure. I. Aseismic test for core-bottom structure, T. Iyoku, M. Futakawa and M. Ishihara 148 (1994) 71
Evaluation of aseismic integrity in HTTR core-bottom structure. II. Vibrational characteristics of keyed graphite components, M. Futakawa, T. Iyoku, H. Shirai, S. Takada and M. Ishihara 148 (1994) 83
Evaluation of aseismic integrity in HTTR core-bottom structure. III. Structural integrity of core support post component, M. Ishihara, T. Iyoku and M. Futakawa 148 (1994) 91

Structural design, construction methods and testing

Performance of the base-isolated USC University Hospital under the 1994 Northridge earthquake, G.W. Housner and S.F. Masri 148 (1994) 509

Core physics and fuel design

Creep anisotropy of Zircaloy-2 cladding during irradiation, S.H. Shann and L.F. Van Swam 148 (1994) 17
FEMAXI-IV: a computer code for the analysis of thermal and mechanical behavior of light water reactor fuel rods, T. Nakajima, H. Saito and T. Osaka 148 (1994) 41
Development of a 3-D FBR fuel bundle-to-duct interaction analysis code MARSE, K. Itoh, H. Kinjo and Y. Mimura 148 (1994) 53

Nuclear safety

Numerical simulation of natural circulation experiments conducted at the IIST facility, Y.-M. Ferng and C.-H. Lee 148 (1994) 119
Implementation of bleed and feed procedures in Siemens PWRs, H. Roth-Seefrid, A. Feigel and H.-J. Moser 148 (1994) 133
Accident management strategy in Sweden — implementation and verification, G. Löwenhielm, A. Engqvist and R. Espefält 148 (1994) 151
Accident management for French PWRs, Y. Cornille 148 (1994) 161
A consistent approach to severe accident management, H. Tuomisto and T.G. Theofanous 148 (1994) 171
Assessment of two BWR accident management strategies, S.A. Hodge and M. Petek 148 (1994) 185
Fission-product release during accidents – an accident management perspective, C.E.L. Hunt, D.S. Cox and F.C. Iglesias 148 (1994) 205
Experimental and analytical studies of boric acid concentrations in a VVER-440 reactor during the long-term cooling period of loss-of-coolant accidents, J. Tuunanen, H. Tuomisto and P. Raussi 148 (1994) 217
Assessing information needs and instrument availability for a pressurized water reactor during severe accidents, D.J. Hanson, W.C. Arcieri and L.W. Ward 148 (1994) 233
Materials chemistry and transport modeling for severe accident analyses in light-water reactors. I: External cladding oxidation, D.R. Olander 148 (1994) 253

Materials chemistry and transport modeling for severe accident analyses in light-water reactors. II: Gap processes and heat release, D.R. Olander 148 (1994) 273
Heat transfer from a high temperature safety rod placed in a perforated guide tube and surrounded by an array of cold tubes, K.O. Pasamehmetoglu and C. Unal 148 (1994) 293
Evaluation of the hydrogen explosion hazard, S.B. Dorofeev, A.S. Kochurko, A.A. Efimenko and B.B. Chaivanov 148 (1994) 305
Rapid quenching of molten lithium–aluminum jets in water, G.A. Greene, D.H. Cho, M.L. Hyder, D.K. Allison and P.G. Ellison 148 (1994) 317
High-temperature creep and tensile data for pressure vessel steels SA533B1 and SA508-CL2, G.L. Thinnes, G.E. Korth, S.A. Chavez and T.J. Walker 148 (1994) 343
High-temperature tensile and creep data for Inconel 600, 304 stainless steel and SA106B carbon steel, S.A. Chavez, G.E. Korth, D.M. Harper and T.J. Walker 148 (1994) 351
A simpler approach for predicting LWR vessel failure during severe accident conditions, J.L. Rempe, G.L. Thinnes and S.A. Chavez 148 (1994) 365
Local creep rupture failure modes on a corium-loaded lower head, R.J. Witt 148 (1994) 385
Finite element analyses of a BWR vessel and penetration under severe accident conditions, S.A. Chavez and J.L. Rempe 148 (1994) 413
Measurement and modeling of average void fraction, bubble size and interfacial area, G. Kocamustafaogullari, W.D. Huang and J. Razi 148 (1994) 437
Two-phase flow scaling laws for a simulated BWR assembly, R. van de Graaf, T.H.J.J. van der Hagen and R.F. Mudde 148 (1994) 455
Flow redistribution due to void drift in two-phase flow in a multiple channel consisting of two subchannels, M. Sadatomi, A. Kawahara and Y. Sato 148 (1994) 463
Development of a phenomenological model for the prediction of dryout locations under flooding-limited critical heat flux conditions, D.-H. Hwang and S.H. Chang 148 (1994) 475
A new critical heat flux model for liquid metals under low heat flux–low flow conditions, S.H. Chang and Y.-B. Lee 148 (1994) 487
Fast calculations of the properties of superheated steam from the saturation curve up to 600°C and 30 MPa, J. Pátek and O. Šifner 148 (1994) 515